

Healios changes the lives of those affected by disabling illnesses



Help for families in the Armed Forces Community *Final Project Report* August 2017

Summary of results

Project need and Project Partners

Content

Project background demographics

Clinical outcomes: Baseline, 8th, 12th, and 3 month follows-up

Family case studies

Summary of results:

Digital delivery of services has huge benefit for families within the Armed Forces

- Project has met all outcome measures:
 - Significant reduction in overall distress (anxiety and depression)
 - Significant reduction in carer burden
 - Significant improvement in carer work and social functioning
- Improvements show sustainable effect after 3 months post-intervention
- High satisfaction with Healios online delivery service
- In many cases carers are reporting significant changes in their loved ones lives and benefits to the whole family (this is particularly relevant for forces families where there are extended periods of separation)
 - Demonstrates the power of carers when trained on clinical interventions in the outcomes of their loved-ones
- Very positive feedback on the service and the impact Healios is having on their everyday lives

What was the need for this project

Mental Health Prevalence

Substantial incidences of common mental health disorders in the Armed Forces community:

- 20% experience Depression, Anxiety or Adjustment Disorder
- 4-7% diagnosed with PTSD
- 65% engage in 'higher risk' drinking

Economic Impact

Mental health can have a significant economic impact, particularly for those transitioning into civilian life. In 2012:

- 74% of all episodes of care in the Armed Forces were assessed as having a mental health disorder
- Failed transition of military personnel cost the state an excess of £113 million irrespective of the additional costs to the individual and charity sectors

Burden of Caring

Mental health has a strong detrimental impact on carers (family members)

- Higher levels of burden and distress
- Time and economic pressures
- Little help and support some emotional support available
- Stigma associated with mental health

Growing Need

There is a growing need for mental health support in the Armed Forces

- 20,000 UK Armed Forces personnel leave the military each year
- In 2013, Combat Stress reported a 57% increase in Afghanistan Veterans seeking help from the charity
- 79% of veterans in a Family Intervention study expressed an interest in greater family involvement with their treatment



Project is a collaboration between 3 organisations that was funded by Forces in Mind Trust





Voluntary independent Mental Health Charity, which provides county-wide services. The Charity last year supported over 3000 service user visits to their peer support groups and delivered some 500 counselling sessions.

Project role: Project oversight to ensure all aspects delivered on time and to the required quality. Support provided in recruitment of carers.



Healios is the UK's leading family intervention and behavioural change digital healthcare technology company working to empower patients and families affected by mental and physical illnesses.



The Army Families Federation (AFF) is an independent voice of Army families and works hard to improve the quality of life for Army families around the world on any aspect that is affected by the Army lifestyle.

Project role: Project leadership and management alongside delivering the intervention component of the project comprising of 600 sessions to 50 families across 7 mental illnesses **Project role:** Provide Insight into Army life, terminology and the challenges of transitioning back to civilian life. Support in recruitment of carers.

Healios



Armed Forces Project Background

Project scope, aim, and details

support service provided by Healios.

	 Deliver 600 sessions by recruiting 50 families who will each receive up to 12 sessions
Other details	 The mental health difficulties in the study include adjustment disorder, mood disorders (including anxiety and depression), PTSD, and psychosis (including schizophrenia and bipolar)
	 Outcome assessments to be performed at 4 stages: Baseline, after 8 sessions, after 12 sessions and 3-months after last session
	 Enrolment of carers started Monday 10th November 2014





ARMED FORCES PROJECT: A UNIQUE AND PERSONALISED EXPERIENCE FOR THE ENTIRE FAMILY

A clinician-led online service of evidence-based psychological interventions integrated with digital tools to engage the entire family for best long-term outcomes



Family members of someone with mental illness in the Armed Forces

S Healios

Access and convenience



- Online booking
- Email/text session reminders
- Accessible online and via multi-device

Clinician-led interactive experience



- Live Healios clinician video streaming
- Interactive multimedia learning experience
- My Skills area for assessing session material
- Session summaries made available

Between session support



- Automatic NHS treatment team notifications*
- Out of hours support line
- Clinician messaging
- Online outcome
 assessments

The project was supported by Healios' highly experienced clinical governance team with an extensive mental health background in NHS



LARS HANSSEN, MD Medical Director

- **Consultant psychiatrist** with 20 years of experience
- Leads an NHS Early Intervention in Psychosis (EIP) team
- Published over 100 articles on mental illness
- Participated in mental health programs for ITV, Channel Four, BBC radio and television
- A long-term dedication to the well-being of the whole family



ANGHARAD RUDKIN, PhD C&YP Service Leader

- Child Clinical Psychologist with 14 years experience working with children and their families within CAMHS services across the UK and independently
- Experienced supervisor and trainer with service development roles having included Joint Acting Team Lead for a Primary MHT (CAMHS)
- Clinical Tutor and Child Module Coordinator on the Doctorate in Clinical Psychology course at Southampton University



KATIE ASHCROFT, PhD Adult Service Leader

- Previously Consultant Clinical Psychologist in an NHS EIP team
- Nearly 20 years experience in mental illness
- Expertise in Cognitive Behaviour Therapy, mindfulness and Family Work for Psychosis
- Trained and supervised Early Intervention Service staff in family work across the Southern Health NHS Trust



ALISON JOYCE Clinician Team Manager

- Mental Health Practitioner with a range of experience in mental health and relationship interventions spanning 18 years
- Worked in an NHS EIP team focusing on the delivery of Behavioural Family Therapy and previously shift leader on a Psychiatric Intensive Care Ward
- Personal experience of caring for family member with psychosis and the impact of trauma



Outcome 1	The Healios intervention will lead to a significant decrease in family-reported burden.
Outcome 2	The Healios intervention will lead to a significant decrease in family-reported distress.
Outcome 3	The Healios intervention will lead to a significant improvement in family work and social functioning.
Outcome 4	Families report on their perceptions of how much time they spend caring, the type of care they deliver, and their own activity and confidence levels will be examined.



Multiple agencies have been engaged with the project



Other agency collaborations & engagement

- AFF Hubs
- The Warrior Programme
- SSAFA
- DMWS
- Veterans in Action
- South West Veterans
- Armed Forces Network
- Blind Veterans
- BLESMA
- Wiltshire Council
- Carers Support Wiltshire
- Army Welfare Services
- Royal British Legion
- Timebank Project (Carers Together & Shoulder to Shoulder)



Session status: Usage of the 600 session pool



Session Pool	Number
Sessions Delivered	601
Sessions Available	0
Total Sessions	601



Referral status

Healios



Referral Status	Number
Currently engaged	0
Intervention complete (full)	26
Intervention complete (early)	7
Did not engage	37*
Dropped out (3+ sessions)	17**
Inappropriate referral	1

* This figure includes families deciding not to proceed due to external pressures

** This figure includes those who could not continue as they were no longer in a caring role (e.g. ex-partners)

Number of sessions received per family



Stage of Intervention	Number
0 sessions	9*
1-3 sessions	23
4-6 sessions	11
7-9 sessions	12
10-12 sessions	18
13-15 sessions	15



* This figure represents those who did not engage from the start and/or did not complete baseline measures

Family/Carer Clinical Outcomes: baseline

	Carer	Patient	
Number	81		
Male	4%	96%	
Female	96%	4%	
Age (mean)	41.6	40.9	
Age (range)	26-68	25-74	
Children under 18	62%		

Diagnosis		
PTSD	87%	
Anxiety + Depression	3%	
Anxiety	1%	
Schizophrenia	1%	
Drug and Alcohol use	1%	
No Diagnosis	7%	

Relation with patient		
Parent	4%	
Spouse/Partner	92%	
Ex-partner	4%	

Demographics

Service	n	%
Army	59	73%
RAF	7	9%
Marines	5	6%
Royal Navy	4	5%
French Foreign Legion	1	1%
South African Police Force	1	1%
UN Protection	1	1%
Unknown	3	4%





DISTRESS: Carers show on average a mild to moderate level of distress as measured with the anxiety and depression subscale of the HADS at baseline



Healios

Distress measured using the Hospital Anxiety and Depression Scale (HADS) which is a 14 item scale rated on a 4pt Likert scale. Overall distress score range 0-42.



Overall burden at baseline (*n* = 79)



Burden is measured with the Involvement Evaluation Questionnaire (IEQ) which consists of 29 items across 4 domains; each domain has a varying number of items between 6-9. Max score for each item; Tension max score =36, Supervision max score = 24; Worrying = max score = 24; Urging max score = 32

WORK AND SOCIAL FUNCTIONING: Carers show on average a severe impairment on work and social functioning as measured with the WSAS at baseline



Work and social functioning at baseline (*n* - 79)

Impairment	Score
Subclinical	<10
Significant	10-20
Severe	>20

(Mundt et al., 2002)

Healios

Work and social functioning is measured with the Work and Social Adjustment Scale (WSAS) which measures self reported impairment on a 8pt Likert scale. Scale score range = 0 (no impairment) to 40 (very severe impairment), Total max score = 40.



Family/Carer Clinical Outcomes: comparison of baseline and 8th sessions

Healios significantly reduces carer anxiety and depression levels as well as overall distress over 8 sessions – clinical depression reduces to normal levels



Healios

Distress measured using the Hospital Anxiety and Depression Scale (HADS) which is a 14 item scale rated on a 4pt Likert scale. Overall distress score range 0-42.

Healios significantly reduces carer burden across all four subscales, with overall burden reducing by 32% after 8 sessions



Burden is measured with the Involvement Evaluation Questionnaire (IEQ) which consists of 29 items across 4 domains; each domain has a varying number of items between 6-9. Max score for each item; Tension max score = 36, Supervision max score = 24; Worrying = max score = 24; Urging max score = 32

(C)Healios

Healios significantly improves carer's work and social functioning after 8 sessions, with self-reported impairment reducing by 20%

25 20 15 10 5 0 Baseline Baseline Sessions Time point





Work and social functioning is measured with the Work and Social Adjustment Scale (WSAS) which measures self reported impairment on a 8pt Likert scale. Scale score range = 0 (no impairment) to 40 (severe), Total max score = 40.



Family/Carer Clinical Outcomes: comparison of baseline, 8th session and 12th session

Anxiety and depression significantly decline over time compared to baseline. Both anxiety and depression reduce to normal levels





Distress measured using the Hospital Anxiety and Depression Scale (HADS) which is a 14 item scale rated on a 4pt Likert scale. Overall distress score range 0-42.

Overall distress significantly declines over time compared to baseline, demonstrating improved family mental wellbeing

25 20 15 10 5 0 Baseline 8 sessions Time point 12 sessions

Overall distress change over time (n = 22)



Distress measured using the Hospital Anxiety and Depression Scale (HADS) which is a 14 item scale rated on a 4pt Likert scale. Overall distress score range 0-42.

Carer burden significantly declines over time across all subscales compared to baseline





Burden is measured with the Involvement Evaluation Questionnaire (IEQ) which consists of 29 items across 4 domains; each domain has a varying number of items between 6-9. Max score for each item; Tension max score = 36, Supervision max score = 24; Worrying = max score = 24; Urging max score = 32

Overall carer burden significantly declines over time compared to baseline

Overall burden change over time (n = 23)





Burden is measured with the Involvement Evaluation Questionnaire (IEQ) which consists of 29 items across 4 domains; each domain has a varying number of items between 6-9. Max score for each item; Tension max score = 36, Supervision max score = 24; Worrying = max score = 24; Urging max score = 32

Impact on carer's work and social functioning significantly improves over time, reducing from severe to close to normal levels



Functioning change over time (n = 22)



Work and social functioning is measured with the Work and Social Adjustment Scale (WSAS) which measures self reported impairment on a 8pt Likert scale. Scale score range = 0 (no impairment) to 40 (severe), Total max score = 40.



Client satisfaction at end of intervention

Healios delivers exceptional customer experience and satisfaction ratings whilst providing increased patient access & choice



Customer experience measured with the Client Satisfaction Questionnaire (CSQ-8).

Healios



Family/Carer Clinical Outcomes: comparison of baseline, 8th sessions, 12th sessions and 3 months follow up

Anxiety and depression significantly decline over time compared to baseline. Both anxiety and depression are maintained at normal levels at 3 months follow up



Distress measured using the Hospital Anxiety and Depression Scale (HADS) which is a 14 item scale rated on a 4pt Likert scale. Overall distress score range 0-42.

Overall distress declines over time compared to baseline. The change is maintained at 3 months follow up

-lealios



Overall distress change over time (n = 15)

Distress measured using the Hospital Anxiety and Depression Scale (HADS) which is a 14 item scale rated on a 4pt Likert scale. Overall distress score range 0-42.

Carer burden reduces over time across all subscales compared to baseline, with effect maintained for 2 subscales at 3 months with no significant difference



* Significant difference from baseline (p < 0.05)



Burden is measured with the Involvement Evaluation Questionnaire (IEQ) which consists of 29 items across 4 domains; each domain has a varying number of items between 6-9. Max score for each item; Tension max score = 36, Supervision max score = 24; Worrying = max score = 24; Urging max score = 32

Overall burden significantly declines over time, with effect maintained at 3 months with no significant difference

60 50 40 Mean score 30 41% 28% 45% 20 10 0 8 sessions 3 Months Baseline 12 sessions **Time point**

Overall burden change over time (n = 15)



Burden is measured with the Involvement Evaluation Questionnaire (IEQ) which consists of 29 items across 4 domains; each domain has a varying number of items between 6-9. Max score for each item; Tension max score = 36, Supervision max score = 24; Worrying = max score = 24; Urging max score = 32

Impact on work and social functioning steadily improves over time. The change continues in the 3 months after the end of intervention



Functioning change over time (n = 15)



Work and social functioning is measured with the Work and Social Adjustment Scale (WSAS) which measures self reported impairment on a 8pt Likert scale. Scale score range = 0 (no impairment) to 40 (severe), Total max score = 40.



Family case studies

Improving Relationships and Supporting Employment

through empowering the carer with new skills

Issue

Background facts

Illness: PTSD

Description:

Husband, medically discharged from Army. Struggling to cope at work after treatment ended

Symptoms:

Flashbacks, angry outbursts, depression, paranoia, hypervigilance, panic attacks

Service offered: Carer psycho-education and support

Couple had little understanding of each other or how to manage the PTSD symptoms; and were treading on eggshells. Wife on sick leave from work with high anxiety and concentration difficulties. She was living with her parents after a violent episode. She felt overwhelmed, exhausted and fearful about their future. She felt she had tried everything.

Our work

- Work on communication helped wife recognise her need to accept his diagnosis and difficulties. Provided enhanced skills to change her approach rather than seeking to change him.
- Provided background information on PTSD and a range of grounding techniques which she shared with her husband to promote shared understanding and symptom management.
- Developed collaborative problem-solving and decision making approaches.

Healios impact

- Wife returned home and back at work
- Husband more relaxed and doesn't feel picked on or judged
- Couple have developed open, honest and effective communications and have worked on identifying shared goals which they are now beginning to achieve
- > Wife feels more confident that they can tackle any obstacles that arise



"It was a revelation to me when I realised that I need to change the way I think rather than the way he does. I have a better understanding of his illness and I can see big changes in him. He is more relaxed – he doesn't feel picked on or judged. It's so much better now ... normal!"

Wife

Strengthening Families ...Reducing carer distress

by empowering the family with new skills

lssue

Background facts

Illness: PTSD

Description:

Husband diagnosed 2 years ago, working and accessing services

Symptoms:

Withdrawn, isolated and distant

Service offered:

Carer psycho-education and support

Family life was tense and they had not had fun as a family for several years. There was a huge distance between the couple and they couldn't get their closeness back. Husband was struggling with his symptoms but he did not talk about them with her. His wife was scared he was going to take his own life.

Our work

- We gave the carer new communication skills to help her motivate her husband to share more about himself
- We helped her understand her husband's difficulties and how these were interacting with their family life.
- We supported her to problem solve the issues with him

Healios impact on the patient and family

- PTSD is no longer the couple's primary focus. They are now working together as a team and recently had a great family day out together
- Wife is now more confident to ask for the support she needs from other services
- Husband is coming to the end of his treatment



"Our life has changed immensely. We have now got a relationship where before we had no relationship" *Wife*

Improving Family Relationships

through empowering the family with new skills

Background facts

Illness: PTSD

Description:

Husband diagnosed 20 years ago, also has depression and brain damage

Symptoms:

Memory loss, anger, depression, flashbacks, insomnia

Service offered:

Carer psycho-education and support

lssue

Conflict was having a strong effect on family relationships. The children did not interact with their dad and the carer reported constant arguments between all of them.

Our work

- We spoke to the carer about modelling good communication skills to the family. This was quickly embraced by them all.
- Problem solving helped the family work together as a team. The husband grew in confidence to take more responsibility for decisions in the home, instead of leaving it to his wife.



Healios impact on the patient and family

- Husband and wife now spend 15 minutes together each morning to discuss their concerns
- The whole family is working together to communicate better and express how they feel

"Doing this has really validated my belief in our family. It's helped to empower my husband and bring our fragmented family together."



Improving Confidence

through empowering the family with new skills

Issue

Background facts

Illness: PTSD

Description:

Husband: unemployed withdrawn and with low confidence.

Symptoms: Flashbacks and anger

Service offered:

Carer psychoeducation and training

Couple have been married for 5 years. Wife reported communication difficulties, arguments and lack of support for each other. Although unemployed, husband had limited engagement with her or household responsibilities and showed low motivation for returning to employment.

Our work

- We gave the carer new communication and problem-solving skills to strengthen their relationship and tackle issues and goals as a team.
- We supported her to gain improved understanding of PTSD through us and from her husband.
- We helped her develop emotional coping skills to improve her own well-being.



Healios impact on the patient and family

- Wife is now less reactive and manages her emotions in a more positive way.
- Couple are now working together as a team. Their relationship is calmer and they have fewer arguments.
- They worked together to plan and successfully achieve his recent trip abroad to speak at an international event about his experiences

"My husband is more confident and I am more relaxed, less guarded"

Wife

Rebuilding Lives

by empowering the family with new skills

Issue

Background facts

Illness: PTSD

Description:

Husband diagnosed 6 months ago. Already completed 6-week programme with Combat Stress

Symptoms:

Hyper-vigilance, Panic attacks, negative and suicidal thoughts, claustrophobia

Service offered:

Carer psycho-education and support

Couple had lost the ability to communicate openly to avoid putting pressure on each other. Wife felt exhausted from working full time and taking on all the household responsibilities and feeling they had drifted apart. Husband felt rejected if she took any time for her own activities or friends. Couple had very little joint social/leisure activities due to husband's negative beliefs about being able to cope.

Our work

- We gave the carer new communication skills and encouraged her to share these with her husband
- Developed collaborative and flexible goal setting and achievement strategies, particularly focused on small steps and regular reviews to capture positives
- · Beginning to work on building strategies to reduce symptom impact

Healios impact on the patient and family

- Wife was open about her difficulties and couple are now using the new communication skills to identify issues
- Couple working well as a team to agree goals and allocate responsibilities. They make and review specific plans regularly
- Husband feeling more confident and wife has spent a weekend away with her friend



"We are both so happy, things have changed for the better already. I can't believe it. Doing this work is changing our lives. I can't thank you enough"

Wife

Improving Outcomes

through empowering the family with new skills

Background facts

Illness: PTSD

Description: Husband diagnosed 1 year ago

Symptoms:

Angry outbursts, physical flashbacks, hyper-vigilance

Service offered:

Carer psychoeducation and support

lssue

Carer expressed the concerns around communication with her husband. They could not go out to public places and her husband would have angry outbursts.

Our work

- We gave the carer new communication skills to offer alternative approaches to communicate with her husband
- Tailored education helped the carer to understand her husband's hyper-vigilance to threat
- · Trained carer on new skills to interact with him positively

Healios impact on the patient and family

- Carer is able to empathise with him through a better understanding of her husband's symptoms
- Husband's anger is reduced as the carer is reacting to his outbursts differently

"Before it was like a kettle that would blow. Now I can catch it before it blows. It's bought me back down to earth and saved our relationship in a way."

Healios

Richard Andrews Founder, Chairman and CEO Healios richard.andrews@healios.org.uk Tel: +44 (0) 330 124 4222